Apply at suggested rates. Water volume: at least 200 L/ha (21.5 gallons/acre).

3% S + micros

Liquid nutrient
with micronutrients

directions for use

Mixing and application. Shake well before using. Fill the tank three quarters full. Start agitation and add product. Clean the empty containers and add the rinsing water to the tank. Add the rest of the water and apply without delay. Do not apply under drying conditions and when outside temperature is too high otherwise culture may be damaged.
Tank mixing. This product may be tank mixed with pesticides. In some cases, tank mixing with pest control products can result in physical and chemical incompatibilities which may impact the e!cacy of the products and the crop performance. Always read and follow label directions of the tank mix partners. Consult the pesticides manufacturer representatives and an Agro-100 representative to help determine the safety and agronomic outcome of the mix.

Compatibility. This product is compatible with most agrochemical products except phosphates. Check compatibility before mixing in application tank or check with your adviser. Check compatibility as follow. In a clean, transparent jar, add the water and other products, one by one in the same proportion as proposed application. Agitate gently. Let the jar sit for 30 minutes. Incompatible products will form flakes, sludge, gels or other precipitates. Separation or layering may appear. Do not apply in case of incompatibility.
Storage. Avoid freezing.

Caution. This fertilizer contains boron, iron, manganese and zinc and should be used only as recommended. It may prove harmful when misused. This product contains soy. Adverse reactions may occur in sensitive persons. If skin contact occurs, wash with soap and water. Wear dust mask and protective gloves. If allergic reaction occurs, seek medical attention. This product must be used as complement to a soil fertilization program based on soil or plant tissue analyses.
Guarantee. The vendor’s liability will be limited to the terms of this label. The buyer will then be responsible for all risks and damages to persons or properties resulting from the use of this product, and hereby accepts these conditions.

Pür Soya is a concentrated liquid nutrient

specifically formulated for foliar applications in

order to prevent and treat boron, iron, manganese,

and zinc deficiencies in soybean and bean crops.

Pür Soya contains amino acids obtained by

enzymatic hydrolysis that stimulate the

physiological processes of the plant, absorption

and mobility of nutrients in the plant as well as

establishing resistance mechanisms against abiotic

stresses (extreme temperatures, lack or excess of

water, salinity, etc.). Pür Soya is also a source of

sulphur, an essential element for crop performance

and crop quality. This product must only be

used on the basis of a soil and/or tissue analysis.

For more information on Pür Soya, consult your

agronomic adviser.

agronomic benefits

l Provides essential micronutrients for

photosynthesis, flower, grain and pollen formation, membrane structure and nitrogen assimilation

l Source of sulphur for protein and oil synthesis

l Secured yield and quality

density 1.160 kg/L

Rate US gallon/acre Foliar application
Rate L/ha
Crops Application timing and remarks

Soybean and bean 4 0.4

Apply Pür Soya in a minimum of 200 L of water
at R1 stage. For best results, apply early in the morning
or late in the evening. Always apply when there is
su!cient leaf area to intercept spray.

Soil application
Consult your agronomic adviser for the appropriate dosage for your conditions.

Guaranteed minimum analysis

Sulphur (S) 3% Manganese (Mn) (actual) 2%
Boron (B) (actual) 0.25% Zinc (Zn) (actual) 1.5%
Iron (Fe) (actual) 1.25% Amino acids 2.5%
Citric acid 1%

2026_04

Pour l’utilisation biologique • OMRI.org

Approuvé pour l'agriculture biologique par Ecocert Canada
Approved for organic agriculture by Ecocert Canada

Pür Soya

1 866 770.8887 • www.agro-100.com